

INDEX MAPS.

T. 12 N. R. 10 E. 2nd Mer.

	200	200	200	199	199	199						
202	6	223	5	217	4	213	3	210	2	206	1	198
	222	222		217		213		210		206		
202	7	222	8	216	9	213	10	209	11	205	12	198
	221	221		216		213		209		205		
202	18	221	17	216	16	212	15	208	14	205	13	198
	220	220		215		212		208		204		
201	19	220	20	215	21	211	22	208	23	204	24	197
	219	219		215		211		207		204		
201	30	218	29	214	28	211	27	207	26	203	25	197
	218	218		214		211		207		203		
201	31	217	32	214	33	210	34	206	35	203	36	197
	196	196		196		195		195		195		

T. 13 N. R. 10 E. 2nd Mer.

	231		230		230		230		229		229	
233	6	253	5	247	4	244	3	240	2	237	1	228
	252		252		247		244		240		236	
233	7	252	8	247	9	244	10	240	11	236	12	228
	251		251		253		243		239		236	
232	18	251	17	253	16	243	15	239	14	235	13	228
	250		250		246		240		239		235	
232	19	250	20	246	21	242	22	238	23	235	24	227
	249		249		246		242		238		234	
231	30	249	29	245	28	242	27	238	26	234	25	227
	248		248		245		241		237		234	
231	31	248	32	245	33	241	34	237	35	233	36	227
	226		226		226		225		225		225	

The figures on the lines refer to the page.

Township N: 12 North, Range N: 10 East 2nd Mer. Indiana 195
ch. lks

South Boundary. var. 6° 30' E.

West On S. boundary of Sec. 36

28.00 a Blue Ash 17 in. diam.

40.00 Set q. Sec. post, from which

an Ash 12 in. diam. bears S 64 E 25 lks. dist. of

a Beech 30 " " " N 45 W 20 " "

60.10 a W. Oak 15 " "

60.80 a Branch 5 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 35 & 36, from which

a Sycamore 15 in. diam. bears S 35 E 5 lks. dist. of

a Beech 9 " " " N 7 W 24 " "

Gently rolling 1st rate land, timber Beech,
Ash, Cherry, &c. under 2nd Spruce &c.

West On S. boundary of Sec. 35

12.20 a W. Oak 20 in. diam.

20.50 a Branch 4 lks. wide Course S. E.

40.00 Set q. Sec. post, from which

a Sugar 18 in. diam. bears N 67 E 20 lks. dist. of

an Ash 24 " " " S 63 W 38 " "

52.20 an Ash 15 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

a Sugar 8 in. diam. bears S 72 E 18 lks. dist. of

an Oak 14 " " " N 42 W 6 " "

Level land, timber as above rich soil

July 13th 1819

West On S. boundary of Sec. 34

25.70 a Hickory 18 in. diam.

40.00 Set q. Sec. post, from which

a Beech 20 in. diam. bears N 28 E 25 lks. dist. of

an Elm 40 " " " S 36 W 37 " "

48.60 a Creek 40 lks. wide Course N. W.

49.26 same 40 " " " S. W.

53.00 same 40 " " " N. W.

56.65 a Sugar 18 in. diam.

196

T. N. R. N. E. 2. Mer. Indiana

ch. 1/4

80.00 Set post Cor. to Sec. 33 & 34, from which
 a Beech 9 in. dia. bray N 47 E 6 1/4. dist. 5
 a Do. 10 " " " N 49 W " "
 Level land timber, ash, Walnut, Sugar &c.
 underg^g. Fine soil, good

Nest On S. boundary of Sec. 33

32.85 a Beech 15 in. dia.

40.00 Set gr. Sec. post, from which
 an Ash 12 in. dia. bray S 51 E 14 1/4. dist. 5
 an Ironw. 6 " " " N 62 W 13 " "

50.45 a Blue Ash 12 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
 an Elm 9 in. dia. bray N 50 E 17 1/4. dist. 5
 a Water beech 6 " " " N 18 E 6 " "
 Land timber &c. same as on last mile

Nest On S. boundary of Sec. 32

13.20 a Beech 24 in. dia.

25.00 a Branch 5 lbs. wide cor. S. N.

40.00 Set gr. Sec. post, from which
 a Beech 13 in. dia. bray N 29 E 29 1/4. dist. 5
 a Do. 9 " " " N 18 E 28 " "

58.50 an Ash 15 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
 a Beech 24 in. dia. bray N 3 E 15 1/4. dist. 5
 a Sugar 7 " " " North 23 " "
 Land timber &c. same as on last mile

Nest On S. boundary of Sec. 31

20.25 a Beech 18 in. dia.

40.00 Set gr. Sec. post, from which
 a Beech 12 in. dia. bray N 21 E 10 1/4. dist. 5
 a Do. 10 " " " N 22 E 13 " "

68.50 a Branch 5 lbs. wide cor. S. N.

74.40 Intersected N & S line 780 lbs. S. of temp. post

SPN RNE, 2nd Mer Indiana 197
ch. 6th

Set post Cor. to Township, 11 of 12 North
Range 9 of 10 East, from which
a W. Walnut 8 mi. dia. bear 46 W 26 N. dist. of
a Beech 6 " " " N 28 E 33 " "
(Description of land &c. Omitted)

East Boundary

North On E. boundary of Sec. 36. var. 6° 30' E.
14.07 a Elm Ash 18 mi. dia.

40.00 Set q. Sec. post, from which
a Beech 9 mi. dia. bear 19 E 16 N. dist. of
an Ash 15 " " " N 32 W 17 " "

64.71 a Beech 9 " " "
80.00 Set post Cor. to Sec. 25 of 36, from which
a Elm Ash 12 mi. dia. bear East 20 N. dist. of
a Walnut 40 " " " S 74 W 20 " "
Level land timber Beech, Ash &c.

North On E. boundary of Sec. 25

19.37 a Branch 6th wide Course N. N. W.

31.85 a Hickory 24 mi. dia.

40.00 Set q. Sec. post, from which
a Waterbeech 6 mi. dia. bear N 61 E 38 N. dist. of
a Beech 30 " " " N 46 W 33 " "

80.00 Set post Cor. to Sec. 24 of 25, from which
a Sugar 27 mi. dia. bear S 83 E 20 N. dist. of
a Beech 5 " " " N 81 W 28 " "
Land level, timber Beech, Ash, Walnut, &c.

North On E. boundary of Sec. 24

4.47 a Branch 5th wide Course N. E.

14.53 a Hickory 9 mi. dia.

40.00 Set q. Sec. post, from which
a Beech 8 mi. dia. bear N 31 W 18 N. dist. of
a Do. 6 " " " S 25 E 22 " "

58.14 a Swamp Ash 22 mi. dia.

Twp N R10 E. 2^d Mer. Indiana

ch. 1/4

80.00 Set post Cor. to Sec. 13 of 24, from which
a Beech 7 m. dist. bear S 13° W 1/4 lks. dist. of
a Do. 6 " " " N 42° E 1/4 " "
Sand level as above.

North On E. boundary of Sec. 13

14.77 a Sugar 22 m. dist.

40.00 Set q. Sec. post, from which
a Beech 30 m. dist. bear West 10 lks. dist. of
a Sugar 9 " " " N 65° E 1/6 " "

52.12 at Blue Ash 15 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 6 m. dist. bear N 41° E 25 lks. dist. of
a Hickory 4 " " " S 29° W 18 " "
Sand timber &c. same as on last mile

North On E. boundary of Sec. 12

2.08 an Elm 36 m. dist.

40.00 Set q. Sec. post, from which
a Beech 6 m. dist. bear N 69° W 8 lks. dist. of
a Do. 8 " " " N 81° E 1/2 " "

68.67 a Branch 8 lks. wide Course N. W.

80.00 Set post, Cor. to Sec. 11 of 12, from which
an Ash 18 m. dist. bear S 79° E 32 lks. dist. of
a Poplar 4 " " " S 85° W 20 " "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1

33.42 a Sugar 30 m. dist.

40.00 Set q. Sec. post, from which
a Beech 6 m. dist. bear N 55° W 15 lks. dist. of
a Hickory 6 " " " N 81° E 5 " "

77.62 Set post Cor. to Township 12 of 13 North, of
Range 10 of 11 East, from which
a Swampy Ash 9 m. dist. bear S 81° E 6 lks. dist. of
a Hickory 6 " " " S 83° W 18 " "

T. D. N. R. W. E. 2^d Mer. Indiana 199
 ch. 11th
 (description of land &c. omitted.)

North Boundary var. 6:45'E.
 Met On S. boundary of Sec. 36, T13N, R10E.
 20.25 an Ash 15 in. dia.
 40.00 let gr. Sec. post, from which
 a Sugar 10 in. dia. bray N69 E 23 lb. dist. of
 a Dogw. 9 " " " S55 W 29 " "
 62.95 a Beech 27 " "
 80.00 let post cor. to Sec. 35 & 36, T13N, R10E, from which
 a Hickory 12 in. dia. bray S27 E 19 lb. dist. of
 a Sugar 12 " " " S77 W 19 " "
 Level good farming land, timber Beech, Sugar
 Walnut, Ash &c. undug^d Spice, pawpaw

Met On S. boundary of Sec. 35, T13N, R10E.
 6.75 a Beech 30 in. dia.
 40.00 let gr. Sec. post, from which
 a Sugar 9 in. dia. bray S48 E 7 lb. dist. of
 a Do. 7 " " " N15 W 15 " "
 70.55 a Buckeye - in. dia.
 80.00 let post cor. to Sec. 34 & 35, T13N, R10E, from which
 a Red Oak 48 in. dia. bray N69 E 12 lb. dist. of
 a Beech 6 " " " S75 W 27 " "
 Land level, timber, timber Beech, Sugar, ash
 &c. undug^d Spice, pawpaw &c. Soil good

Met On S. boundary of Sec. 34, T13N, R10E.
 6.20 a Beech 15 in. dia.
 40.00 let gr. Sec. post, from which
 an Ash 12 in. dia. bray S9 E 8 lb. dist. of
 a Sugar 8 " " " N6 W 4 " "
 52.80 a Branch 6 lb. wide Course N.W.
 55.50 an Ash 21 in. dia.
 77.50 a Branch 5 lb. wide Course N.W.
 80.00 let post cor. to Sec. 33 & 34 T13N, R10E, from which

Sec. 32 N. 12 W. E. 2, Mer. Indiana

ch. 2. 1/2

a Cherry 12 mi. dia. bray N 40 W 19 lbr. dist. of
at Beech 10 " " " N 45 E 11 "
Over good farming land, timber Beech, Ash,
Cherry, Walnut &c. underg. Spruce, soil good

Met On South Boundary of Sec. 33, T 33 N. R 10 E
25.00 a Beech 9 mi. dia.

40.00 let gr. Sec. post, from which
a Beech 18 mi. dia. bray N 42 E 3 lbr. dist. of
a Do. 12 " " " N 7 W 27 " "

60.20 a Walnut 27 " "

80.00 let post Cor. to Sec. 32 & 33, T 33 N. R 10 E from which
a Hackberry 9 mi. dia. bray S 67 W 19 lbr. dist. of
a Y. Beech 6 " " " North " "
Land timber &c. same as on last mile

Met On S. boundary of Sec. 32, T 33 N. R 10 E.
7.50 a Creek 50 lbr. wide Course S. W.

16.00 a Beech 30 mi. dia.

40.00 let gr. Sec. post, from which
a Cherry 6 mi. dia. bray S 1 E 28 lbr. dist. of
an Elm 12 " " " N 29 E 13 " "

68.10 a Poplar 84 " "

80.00 let post Cor. to Sec. 31 & 32 from which
a Beech 24 mi. dia. bray S 74 E 40 lbr. dist. of
a Do. 10 " " " S 76 W 17 " "
Land timber &c. same as on last mile

Met On S. boundary of Sec. 31, T 33 N. R 10 E
14.20 an Ash 24 mi. dia.

30.00 a Branch — lbr. wide Course S.

40.00 let gr. Sec. post, from which
a Beech 6 mi. dia. bray S 34 E 9 lbr. dist. of
a Do. 6 " " " N 15 W 12 " "

70.95 to Town Corner July 16th 1819

21
T2 N. R10 E. 2^d Mer. Indiana
ch. lth.

West Boundary. var. 6° 30' E
North On E. boundary of Sec. 36, T2 N. R9 E.
3.86 a Creek 50 lth. wide Course N.
11.21 an Elm 24 in. dia.
40.00 Let gr. Sec. post, from which
an Ash 27 in. dia. bear N 51° W 15 lth. dist. of
a Water Beech 6 " " S 32° E 2 " "
41.08 a Beech 13 " "
80.00 Let post cor. to Sec. 25 of 36, T2 N. R9 E, from which
a Beech 21 in. dia. bear S 71° E 11 lth. dist. of
a do. 6 " " N 87° W 9 " "
Level land good soil, timber Beech, Hickory,
Elm, &c. underg. Spruce &c

North On E. boundary of Sec. 25, T2 N. R9 E.
7.09 a Beech 12 in. dia.
40.00 Let gr. Sec. post, from which
a Beech 6 in. dia. bear N 28° E 5 lth. dist. of
an Ash 27 " " N 69° W 4 " "
52.12 a Beech 15 " "
80.00 Let post cor. to Sec. 24 of 25, from which
a Beech 30 in. dia. bear N 80° W 13 lth. dist. of
a do. 15 " " N 26° E 23 " "
Low wet land, timber Spr Ash, Beech, Maple &c

North On E. boundary of Sec. 24, T2 N. R9 E
3.97 a Beech 10 in. dia.
40.00 Let gr. Sec. post, from which
a Hickory 6 in. dia. bear S 54° W 14 lth. dist. of
a Beech 4 " " N 68° E 10. " "
41.22 a Beech 9 " "
61.30 a Branch 8 lth. wide Course N.W.
80.00 Let post cor. to Sec. 13 of 24, from which
a Hickory 10 in. dia. bear N 37° W 3 lth. dist. of
a Sugar 12 " " S 27° E 24 " "
Rolling land, timber Ash, Walnut &c.

Twp N R10E. 2^d Mer. Indianach² lth

North On E. boundary of Sec. 13, T2 N. R9 E.

4.65 a Beech 15 m. dist.

40.00 at gr. Sec. post, from which
a Beech 27 m. dist. bearing S 86° W 21 lth. dist. of
a do. 12 " " " N 88 E 15 " "69.00 a creek 30 lth. wide Course S. W.80.00 at post cor. to Sec. 12 of 13, from which
a Beech 30 m. dist. bearing N 78° W 16 lth. dist. of
a do 27 " " " S 51 E 28 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 12, T2 N. R9 E.

13.40 an Elm 12 m. dist.

39.40 a Creek 40 lth. wide Course S. W.40.00 at gr. Sec. post, from which
an ~~hollow~~ Beech 6 m. dist. bearing S 87° W 10 lth. dist. of
a Red Oak 14 " " " N 86 E 19 " "42.75 a Creek 70 lth. wide Course —

48.83 a Beech 14 m. dist.

69.62 a Spring branch 4 lth. wide Course S. W.80.00 at post cor. to Sec. 11 of 12, from which
a Beech 9 m. dist. bearing S 53° W 5 lth. dist. of
a do. 8 " " " N 14 E 28 " "
Rolling land timber, Beech, Poplar, Sugar &c.

North On E. boundary of Sec. 1, T2 N. R9 E.

22.00 a Blue Ash 20 m. dist.

40.00 at gr. Sec. post, from which
a Beech 18 m. dist. bearing N 25° W 17 lth. dist. of
a do. 12 " " " S 49 E 27 " "

51.69 a Beech 15 " "

74.00 at post cor. to Township 12 of 13 North, of
Range 9 of 10 East, from which
a Beech 18 m. dist. bearing S 38 E 5 lth. dist. of
a do. 15 " " " N 71 W 36 " "
Level land, timber Walnut, Beech &c. ending ^{to} Office

203
S 12 N R 10 E 2^d Mer. Indiana
ch. lly

June 22^d 1819

Surveyed by

John M. McDonald

Deputy Surveyor

Comp

Subdivision,

var. 6. 20. E.

North Between Sec. 35 & 36

40.00 a Sugar 15 in. dia. q. Sec. Cor. from which
at Beech 24 in. dia. bear N 23 W 15 lks. dist. of
a Cherry 5 " " " S 44 E 15 " "

43.86 a Hackberry 11 " "

80.00 At post Cor. to Sec. 25, 26, 35 & 36, from which
at Beech 10 in. dia. bear S 69 E 11 lks. dist. of
a do. 6 " " " N 53 W 32 " "

Land level 1st rate, timber, Beech, ash, Poplar,
Sugar, undergrd, Spruce

East On Road between Sec. 25 & 36

40.00 At temp. q. Sec. post

80.11 Intersected the N p. line 35 lks. North of post
Land timber &c. same as on last mile

West Connected between Sec. 25 & 36

40.05 At q. Sec. post at average dist. from which
a Sugar 12 in. dia. bear S 16 W 6 lks. dist. of
a Beech 30 " " " N 34 W 28 " "

80.11 to Sec. Corner.

North Between Sec. 25 & 26

11.23 an Ash 12 in. dia.

40.00 At q. Sec. post, from which
at Buckeye 6 in. dia. bear N 19 E 6 lks. dist. of
an Ash 3 " " " S 39 W 5 " "

53.00 a Stream 10 lks. wide Course S. W.

64.22 a Sugar 11 in. dia.

80.00 At post Cor. to Sec. 23, 24, 25 & 26, from which

205

T12 N R10 E, 2nd Mer. Indiana

ch. lth.

39.83 Set of Sec. post at average dist. from which
an Ash 5 mi. dist. bearing S 22 E 3 lth. dist. of
an Elm 6 " " " " S 34 E 18 " "

79.66 to Sec. Corner. Aug. 31st 1819

North Between Secs. 13 & 14

8.39 a Hickory 12 mi. dist.

23.25 a stream 8 lth. wide Course S. W.

40.00 Set of Sec. post, from which
a Sugar 10 mi. dist. bearing S 24 E 17 lth. dist. of
a Beech 7 " " " " S 41 W 35 " "

63.50 a stream 6 lth. wide Course W.

80.00 Set post Cor. to Secs. 11, 12, 13 & 14, from which
a Sugar 12 mi. dist. bearing S 36 W 4 lth. dist. of
a Do. 11 " " " " S 18 W 19 " "

Land level 1st 1/2 mile inclining to west - last 1/2
1st rate, Beech, Ash, Poplar, Sugar, windingth Spruce

East on Land^m. between Secs. 12 & 13

40.00 Set temp^y. of Sec. post

80.50 Intersected the E. boundary 150 lth. N. of post
Land timber &c. same as on last mile

West Cor. between Secs. 12 & 13

40.25 Set of Sec. post at average dist. from which
an Ash 24 mi. dist. bearing N 56 E 8 lth. dist. of
a Sugar 6 " " " " S 14 W 15 " "

80.50 to Sec. Corner

North Between Secs. 11 & 12

4.00 a stream 9 lth. wide Course W.

40.00 Set of Sec. post, from which
a Hickory 20 mi. dist. bearing S 81 E 23 lth. dist. of
an Elm 18 " " " " S 82 W 12 " "

52.90 a Spring branch of most excellent water

55.00 a Beech 15 mi. dist.

T12 N. R10 E. 2^d Mer. Indianach. 16th56.62 a Stream 20th wide Course S. W.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 12 in. diam. bear N 21 W 16th dist. of
 a Do. 15 " " " S 29 E 17 " "
 Land level 1st rate, Beech, Ash, Poplar,
 Sugar, undng^d. Spruce

East On Randm. between Sec. 1 & 12

40.00 Set temp. q. Sec. post

80.75 Intersected E. boundary at the post
 Land level rich, timber Beech, ash, Sugar
 Walnut &c. undng^d. Spruce.

West Connected between Sec. 1 & 12

40.37 Set q. Sec. post at average dist. from which
 a Beech 6 in. diam. bear N 47 W 15th dist. of
 a Do. 12 " " " S 85 E 27 " "
 80.75 to Sec. Corner.

North Between Sec. 1 & 2

5.00 a Beech 36 in. diam.

40.00 Set q. Sec. post, from which
 a W. Oak 3 in. diam. bear N 64 E 10th dist. of
 an Elm 12 " " " N 64 W 15 " "

44.50 a Sugar 8 " "

74.08 Intersected N. boundary 163th W. of post
 Set post Cor. to Sec. 1 & 2, from which
 a Hackberry 10 in. diam. bear N 75 E 9th dist. of
 a Buckeye 12 " " " S 51 W 18 " "
 Land level rich but scarce of water, timber
 Beech, Ash, Sugar, Walnut, dwarf Ash, Hackberry
 &c. undng^d. Spruce. Sept. 1st 1819

North Between Sec. 34 & 35

5.50 a Beech 30 in. diam.

40.00 Set q. Sec. post, from which

207

N2 N 10 E. 2^d Mer. Indiana

ch. l. l. h.
 a Beech 36 mi. dist. from N 63 E 13 l. h. dist. of
 a Sugar } " " " N 83 W 32 " "
 56.25 a Beech 12 " "
 65.29 a Stream 21 l. h. (wide Corner S. W.
 80.00 Let post Cor. to Sec. 26, 27, 34 & 35, from which
 a Hickory 20 mi. dist. from N 67 E 5 l. h. dist. of
 a Beech 8 " " " S 79 W 15 " "
 1st 1/2 mile level rather wet last 1/2 mile rolling 2^d.
 State Beech, Ash, Sugar, Poplar, Spruce

East On Randm. between Sec. 26 & 35
 16.75 a Stream 16 l. h. wide Corner South
 40.00 Let stump of Sec. post
 79.00 Intersected S. of S. line 23 l. h. S. of post
 Land level & rich, but inclining to wet, Beech
 Ash, Poplar, Sugar, and 2^d Spruce

West Corrected between Sec. 26 & 35
 39.50 Let of Sec. post at average dist. from which
 a Beech 20 mi. dist. from N 10 E 5 l. h. dist. of
 a Sugar 12 " " " S 22 W 25 " "
 79.00 to Sec. Corner

North Between Sec. 26 & 27
 31.86 a Poplar 84 mi. dist.
 40.00 Let of Sec. post, from which
 a Sugar 15 mi. dist. from N 26 E 11 l. h. dist. of
 a Beech 24 " " " S 62 W 9 " "
 50.90 an Ash 9 " "
 80.00 Let post Cor. to Sec. 22, 23, 26 & 27, from which
 a Sugar 12 mi. dist. from S 62 E 11 l. h. dist. of
 a Beech 16 " " " S 82 W 28 " "
 Land level inclining to wet 2^d State Beech, Ash
 Poplar &c. and 2^d Spruce &c

East On Randm. between Sec. 23 & 26

Sp. N. N. W. E. 2nd Mer. Indiana

ch. 1/2

40.00 Set temp. of. Sec. post

79.33 Intersected the N & S. line 26th. N. of post
Land timber &c. same as on last mile

West Connected between Sec. 23 & 26

39.66 Set of. Sec. post at average dist. from which
a Beech 20 in. dia. bear S 45 W 26th. dist. of
an Ash 30 " " " N 43 E 9 " "

79.33 to Sec. Corner

North Between Sec. 22 & 23

10.43 a Beech 36 in. dia.

40.00 Set of. Sec. post, from which
a Beech 6 in. dia. bear S 27 E 17th. dist. of
a Sw. Ash 24 " " " N 3 W 22 " "

50.23 a Do. 12 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
a Sugar 15 in. dia. bear S 46 W 48th. dist. of
a Gum 36 " " " N 23 E 29 " "
Land timber &c. same as on last mile

East On Rand. between Sec. 14 & 23

40.00 Set temp. of. Sec. post

78.97 Intersected the N & S. line 4th. S. of post
Land timber &c. same as on last mile

West Connected between Sec. 14 & 23

39.48 Set of. Sec. post, at average dist. from which
a Sugar 15 in. dia. bear N 42 E 18th. dist. of
a Walnut 15 " " " S 47 W 38 " "

78.97 to Sec. Corner.

North Between Sec. 14 & 15

28.75 a Stream 6th. wide Course W.

40.00 Set of. Sec. post, from which
a Beech 14 in. dia. bear N 11 W 32th. dist. of

S 12 N 10 W E. 2^d Mer. Indiana 289
ch. lky

at Beech 16 mi. dist; brang S 21 W 5 lky. dist. of
42.75 an Ash 9 "
52.25 a Spring branch—
79.00 a stream 14 lky. wide Course S. W.
80.00 Let post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 20 mi. dist; brang N 19 W 24 lky. dist. of
a Sugar 10 " " " N 19 E 6 "
Land level 1st rate Beech & Sugar, undergth Spruce

East On Rand^m between Sec. 11 & 14
3.00 a stream 14 lky. wide Cr. S. W.
33.25 a do 12 " " " S. W.
40.00 Let temp^y. of Sec. post
71.25 a Spring branch—
78.91 Intersected thro N & S. line at the post
Land rolling 1st rate, Beech, Ash, Sugar, Spruce

West Connected between Sec. 11 & 14
~~6.09 a Sugar 14 mi. dist.~~
39.45 Let of Sec. post, from which
a Sugar 8 mi. dist; brang N 12 E 13 lky. dist. of
a do. 6 " " " N 15 W 19 "
78.91 to Sec. Corner

North Between Sec. 10 & 11
6.09 a Sugar 14 mi. dist.
40.00 Let of Sec. post, from which
an Ash 4 mi. dist; brang N 57 E 5 lky. dist. of
a do. 5 " " " N 82 W 4 "
59.25 a Hickory 20 " "
80.00 Let post Cor. to Sec. 2, 3, 10 & 11, from which
an Ironwood 6 mi. dist; brang S 20 E 24 lky. dist. of
an Ash 4 " " " N 16 W 16 "
Land level very rich; timber Beech & Sugar Ash
undergth Spruce, &c.

210 T12 N R10 E. 2nd Mer. Indiana

ch. 1/2

East On Randm. between Sec. 2 & 11

40.00 Set temp. 4. q. Sec. post

79.15 Intersected the N & S. line 30 th. N. of post
Land rolling 1st rate Beech, Oak, Sugar & Spruce

West Corrected between Sec. 2 & 11

39.57 Set q. Sec. post at average dist. from which
a Beech 12 in. diam. bear S 34 E 11 th. dist. of
a Sugar 10 " " " N 34 W 28 " "
79.15 to Sec. Corner Sept. 2nd 1819

North Between Sec. 2 & 3

5.86 a Hickory 10 in. diam.

40.00 Set q. Sec. post, from which
a Beech 7 in. diam. bear S 22 E 37 th. dist. of
a Do. 10 " " " N 44 W 6 " "

50.53 a Sugar 15 " "

58.00 a stream 6 th. wide Course W.

72.50 Intersected N. boundary 205 th. N. of post
Set post Cor. to Sec. 2 & 3, from which
a Sugar 15 in. diam. bear N 78 W 13 th. dist. of
an Elm 15 " " " S 46 E 9 "
Land level 1st rate, Beech, Oak, Poplar, Sugar
underg^g. Spruce &c.

North Between Sec. 33 & 34

3.55 a Beech 12 in. diam.

40.00 Set q. Sec. post, from which
a W. Oak 20 in. diam. bear N 3 E 33 th. dist. of
an Elm 15 " " " N 16 E 30 " "

41.73 a Beech 13 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Hickory 12 in. diam. bear N 49 W 11 th. dist. of
a Beech 24 " " " S 27 E 22 "
Land level inclining to wet, 2nd rate, Beech, Oak,
Poplar, Sugar, underg^g. Spruce

S 2 N R 10 E 2^d Mer. Indiana 211

ch. 2. lky

East On Rand^m. between Sec. 27 & 34

40.00 Set temp^y. of Sec. post

79.68 Intersected the N & S. line 114 lky. N. of post

Land level & rich but scarce of water, Beech, Ash,
Poplar, Sugar, winding^r. Spruce

West Corrected between Sec. 27 & 34

39.84 Set of Sec. post at average dist. from which
a Poplar 48 mi. dist. to any N 69° W 12 lky. dist. of
at Beech 36 " " " N 27° E 9 " "

79.68 to Sec. Corner

North Between Sec. 27 & 28

38.16 an Ash 6 mi. dist.

40.00 Set of Sec. post, from which
a Beech 30 mi. dist. to any N 24° W 7 lky. dist. of
an Ash 20 " " " N 4° E 13 " "

75.00 a Beech 13 " "

80.00 Set post Cor^r to Sec. 21, 22, 27 & 28, from which
a Sugar 10 mi. dist. to any N 49° W 8 lky. dist. of
a Do. 5 " " " N 60° E 3 " "

Land level inclining to west². rate, Beech, Ash
Poplar, Sugar, winding^r. Spruce

East On Rand^m. between Sec. 22 & 27

40.00 Set temp^y. of Sec. post

79.25 Intersected the N & S. line 123 lky. S. of post

Land timber &c. same as on last mile

West Corrected between Sec. 22 & 27

39.62 Set of Sec. post at average dist. from which
an Ash 6 mi. dist. to any N 21° W 8 lky. dist. of
an Elm 15 " " " N 11° E 18 " "

79.25 to Sec. Corner. Sept. 3^d. 1819

North Between Sec. 21 & 22

S 2^d N R W E. 2^d Mer. Indiana

ch. lky

16.66 a Walnut 16 in. dia.

40.00 Set q^r. Sec. post, from which
at Beech 30 in. dia. bray N 37° W 15 lks. dist. of
a Do. 20 " " " N 41° E 30 " "

42.00 a Beech 22 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Sugar 10 in. dia. bray N 45° W 45 lks. dist. of
a Beech 15 " " " N 27° E 15 " "
Land level 1st rate, Beech, Ash, Sugar, & SpruceEast On Rand^m. between Sec. 15 & 2240.00 Set temp^y. q^r. Sec. post79.16 Intersected the N & S line 46 lks. N. of the post
Land timber &c. Same as on last mile

West Corrected between Sec. 15 & 22

39.58 Set q^r. Sec. post at average dist. from which
at Beech 20 in. dia. bray N 41° W 10 lks. dist. of
a Dogwood 6 " " " N 62° E 17 " "

79.16 to Sec. Corner

North Between Sec. 15 & 16

8.25 a Beech 6 in. dia.

10.73 a stream 23 lks. wide Course S. W.

40.00 Set q^r. Sec. post, from which
a Beech 20 in. dia. bray N 49° E 24 lks. dist. of
a Sugar 16 " " " N 37° W 14 " "80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
at Beech 36 in. dia. bray N 23° W 32 lks. dist. of
a Sugar 24 " " " N 58° E 29 " "Land level inclining to west 2^d rate, timber Beech
Sugar, undug Spruce, Dogwood & PawpawEast On Rand^m. between Sec. 10 & 1540.00 Set temp^y. q^r. Sec. post

60.54 a Spring branch of good water

213

Sp N N 10 E. 2^d Mer. Indiana
ch² 1/2
78.78 Intersected the N of S. line 159 lks. S. of post
Land level rich, Beech & Sugar, (much Spruce)

West Corrected between Secs. 10 & 15
39.39 Set q^r. Sec. post at average dist. from which
a Beech 12 in. dia^r. bray N 76 W 31 lks. dist. of
an Ash 24 " " " N 28 E 26 " "
78.78 to Sec. Corner

North Between Secs. 9 & 10
14.00 a Swamp Oak 14 in. dia^r.
40.00 Set q^r. Sec. post, from which
a Sugar 12 in. dia^r. bray S 51 W 10 lks. dist. of
a Beech 30 " " " N 42 E 10 " "
50.50 a B. Oak 29 " "
80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which
a Beech 24 in. dia^r. bray N 23 W 50 lks. dist. of
a Do. 24 " " " S 23 E 9 " "
Land timber etc. same as on the last mile

East On Rand^m. between Secs. 3 & 10
40.00 Set temp^y. q^r. Sec. post
78.92 Intersected the N of S. line 160 lks. N. of post
Land level inclining to wet 2^d rate, Beech & Sugar

West Corrected between Secs. 3 & 10
39.46 Set q^r. Sec. post at average dist. from which
a Beech 6 in. dia^r. bray S 66 W 2 lks. dist. of
a Do. 4 " " " N 4 W 9 " "
78.92 to Sec. Corner

North Between Secs. 3 & 4
10.00 a Poplar 72 in. dia^r.
40.00 Set q^r. Sec. post, from which
a Sugar 15 in. dia^r. bray S 22 E 18 lks. dist. of
a Buckeye 12 " " " N 22 W 23 " "

214

Twp. N. R10E. 2.nd Mer. Indiana

ch. lks

70.19 Intersected N. boundary 97 lks. N. of post
 Set post Cor. to Sect. 3 & 4, from which
 a Beech 6 in. dia. bears N 33° W 11 lks. dist. &
 a do. 14 " " " N 74° E 7 " "
 First 1/2 mile inclining to west 2.nd rate - last 1/2
 rolling 1.st rate, timber Sugar, Beech, Ash, Poplar
 undergth. Spruce &c. Sept. 4th. 1879

North Between Sect. 32 & 33

3.64 a Walnut 60 in. dia.

40.00 Set q^r. Sec. post, from which
 an Ash 8 in. dia. bears N 88° W 23 lks. dist. &
 a Beech 6 " " " N 39° E 10 " "

41.92 a do. 11 " "

80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
 a Hackberry 14 in. dia. bears S 37° W 30 lks. dist. &
 an Elm 10 " " " N 73° E 9 " "
 Land rolling 2.nd rate, Beech, Sugar, Ash, &c.
 undergth. Spruce, &c.

East On Rand^m. between Sect. 28 & 3340.00 Set temp^y. q^r. Sec. post

79.00 Intersected the N. & S. line 121 lks. S. of the post
 Land level & rich timber as before

West Connected between Sect. 28 & 33

39.50 Set q^r. Sec. post, at average dist. from which
 a Hickory 8 in. dia. bears N 67° E 18 lks. dist. &
 a Swp. Oak 30 " " " S 67° W 34 " "

79.00 to Section Corner

North Between Sect. 28 & 29.

14.16 a Beech 36 in. dia.

19.50 a Stream 10 lks. wide Course W.

40.00 Set q^r. Sec. post, from which
 an Ash 4 in. dia. bears S 36° E 12 lks. dist. &

215

S. N. R 10 E. 2^d Mer. Indiana

ch^d. lks

- a Beech 30 in. dia. beam N 20 W 29 lks. dist. of
 59.50 a Stream 35 lks. wide Course S. W.
 73.10 a Sugar 6 in. dia.
 80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which
 a Walnut 5 in. dia. beam N 75 E 19 lks. dist. of
 a Do. 7 " " " N 75 W 13 " "
 First 1/2 mile level inclining to wet - last 1/2 mile
 rolling 1st rate, Beech, Ash, Sugar, (Much Spice)

- East On Rand^m. between Secs. 21 & 28
 11.00 a Stream 33 lks. wide Course S. W.
 110.00 Set temp^y. of Sec. post
 79.15 Intersected the N. & S. line at the post
 Land level & rich, Beech, Ash & Sugar

- West Corrected between Secs. 21 & 28
 39.57 Set of Sec. post at average dist. from which
 a Cherry 6 in. dia. beam S 62 E 12 lks. dist. &
 an Ash 4 " " " N 54 W 12 " "
 79.15 to Section Corner

North Between Secs. 20 & 21.

- 24.13 a Poplar 36 in. dia.
 40.00 Set of Sec. post, from which
 a Sugar 11 in. dia. bears West 12 lks. dist. &
 a Beech 10 " " " S 75 E 26 " "
 57.00 a Br. Oak 48 " "
 80.00 Set post, cor. to Secs. 16, 17, 20 & 21, from which
 an Elm 15 in. dia. bears N 80 E 12 lks. dist. &
 a Do. 18 " " " S 62 W 34 " "
 Land rolling first rate timber Beech Ash Sugar
 Poplar - Undergrowth Spice & Pawpaw

East On Random between Secs. 16 & 21.

- 40.00 Set temp^y. of Sec. post.
 57.12 a Stream 25 lks. wide course S.

216

T2N R10E, 2^d Mer. Indiana

ch. lks

78.84 Intersected the N. & S. line 125 lks. N. of post.
Land and timber as last mile

West Corrected between Sect. 16 & 21.
39.42 Set of Sec. post, from which
a Beech 20 in. diam. bearing N 74° E 11 lks. dist. of
a loc. 16 " " " N 80° W 25 " "
78.84 to Sec. Corner.

North Between Sect. 16 & 17
30.68 a Beech 26 in. diam.
40.00 Set of Sec. post, from which
a Beech 7 in. diam. bearing N 64° E 17 lks. dist. of
an Elm 14 " " " S 75° W 12 " "
64.14 a W. Oak 30 "
80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which
a Hickory 12 in. diam. bearing N 12° W 17 lks. dist. of
a Beech 15 " " " S 16° E 36 " "
Land level & wet 3^d rate, Beech, lwp. Oak
Ash undergrowth Spice, &c.

East On Rand. between Sect. 9 & 16
40.00 Set temporary of Sec. post
79.50 Intersected the N. & S. line 90 lks. S. of post
Land level & wet, Beech, Ash, Poplar, Sugar,
&c. undergth Spice (much)

West Corrected between Sect. 9 & 16
39.75 Set of Sec. post at average point, from which
a Beech 18 in. diam. bearing N 21° W 34 lks. dist. of
a Hickory 8 " " " S 38° E 26 " "
79.50 to Sec. Corner

North Between Sect. 8 & 9
22.55 an Ash 20 in. diam.
40.00 Set of Sec. post, from which

S 12 N R 10 E 2^d Mer. Indiana 217
ch. lks.

at Beech 15 in. dia. bray S 6 E 13 lks. dist. of
an Ash 24 " " " N 20 W 20 " "
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
at Beech 36 in. dia. bray N 21 W 31 lks. dist. of
a do. 10 " " " S 7 W 10 " "
First level inclining to west 2^d rate - last 1/2 mile
rolling 1st rate, Beech, Ash, Sugar &c.
under 1st Spruce & Black haw.

East On Rand^m between Sec. 4 & 9

40.00 At stump 1/4 q. Sec. post
79.82 Intersected the N & S line 50 lks. N. of post
Land level inclining to west 2^d rate, Beech
Ash, Poplar, Sugar, Swamp Ash, Spruce haw

West Corrected between Sec. 4 & 9

39.91 Set q. Sec. post, at average dist. from which
an Ash 12 in. dia. bray N 78 W 5 lks. dist. of
a Maple 5 " " " N 84 E 18 " "
79.82 to Sec. Corner.

North Between Sec. 4 & 5

28.69 a Sugar 9 in. dia.
40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bray S 82 E 5 lks. dist. of
a Hackberry 20 " " " S 77 W 4 " "
56.65 at Beech 40 " "
66.64 Intersected N. boundary 34 lks. N. of post
Set post Cor. to Sec. 4 & 5, from which
a Hickory 14 in. dia. bray N 56 E 11 lks. dist. of
an Ironwood 5 " " " S 67 W 15 " "
Land timber &c. same as on last mile

North Between Sec. 31 & 32

12.54 at Beech 16 in. dia.
40.00 Set q. Sec. post, from which

218

Twp N R10E 2ⁿ Mer. Indiana

ch. lks

a Beech 6 mi. dist. by N 67 E 10 lks. dist. of
an Ironw^d. 4 " " " N 86 W 26 " "
47.75 a Beech 12 " "
60.50 a Stream 15 lks. wide Course W.
80.00 At post Cor. to Sect. 29, 30, 31 & 32, from which
a Beech 8 mi. dist. by N 63 E 20 lks. dist. of
a Cherry 12 " " " N 51 W 27 " "
Land level & rich 1st rate, Beech, Ash, Poplar,
undergth. Spruce & Pawpaw

East On Rand^m. between Sect. 29 & 32

40.00 At temp^y. of Sec. post
79.93 Intersected the N & S. line 15 lks. S. of post
Land timber &c. Same as on last mile

West Connected between Sect. 29 & 32

39.96 At q^r. Sec. post, at average dist. from which
a Beech 30 mi. dist. by N 54 E 16 lks. dist. of
a Beech 6 " " " N 87 W 10 " "
79.93 to Sec. Corner

West Between Sect. 30 & 31

10.00 a Stream 35 lks. wide Course S. W.
25.00 a Do. 14 " " " S. E.
40.00 At q^r. Sec. post, from which
a Sugar 20 mi. dist. by N 25 W 32 lks. dist. of
a Do. 15 " " " N 43 E 18 " "
42.00 a Spring branch—
45.60 a W. Oak 48 mi. dist.
73.92 Intersected the N & S. line 250 lks. N. of post
At post Cor. to Sect. 30 & 31, from which
a W. Oak 12 mi. dist. by N 3 E 47 lks. dist. of
an Ash 5 " " " N 23 W 28 " "
(Description of land &c. Omitted) Sept. 6th 1819

North Between Sect. 29 & 30

T2 N 110 E. 2^d Mer. Indiana 219
ch. lks

5.00 a Stream 40 lks. wide Course N.
7.88 at Beech 20 m. dist.
40.00 At q^r. Sec. post, from which
a Beech 20 m. dist. bearing N 13 E 17 lks. dist. of
a Do. 10 " " " S 24 W 25 " "
79.62 a Beech 20 " "
80.00 At post Cor. to Secs. 19, 20, 29 & 30, from which
a Beech 7 m. dist. bearing S 55 E 2 lks. dist. of
a Gum 20 " " " N 80 W 16 "
First 1/2 mile broken 2^d rate - last 1/2 level 1st rate
part rolling, timber, Beech, Ash, Poplar & Spruce

East On Rand^m. between Secs. 20 & 29
40.00 At temp^y. q^r. Sec. post
53.75 a Stream 13 lks. wide Course S.
79.00 Intersected the N & S. line 40 lks. N. of post
Land level & soil 2^d rate Beech, Ash, Poplar,
undergth. (Much Spruce.

West Connected between Secs. 20 & 29
39.50 At q^r. Sec. post, at average dist. from which
a Beech 6 m. dist. bearing N 18 E 27 lks. dist. of
a Sugar 14 " " " S 29 W 41 " "
79.00 to Sec. Corner.

West Between Secs. 19 & 30
26.60 a Hickory 12 m. dist.
40.00 At q^r. Sec. post, from which
a Beech 15 m. dist. bearing N 30 W 26 lks. dist. of
a Do. 8 " " " S 46 E 19 " "
50.47 a Beech 7 " "
74.00 Intersected the N & S. line 325 lks. N. of post
At post Cor. to Secs. 19 & 30, from which
a Beech 8 m. dist. bearing S 11 W 18 lks. dist. of
a Do. 15 " " " N 5 E 29 " "
Land & timber same as on last mile

220. T2 N. R10 E. 2^d Mer. Indiana

ch. 1st 1/2

North Between Sec. 19 & 20

6.57 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which
a Beech 36 mi. dist. bear S 14 E 23 lks. dist. of
a do. 15 " " " N 32 W 27 " "

64.50 a Beech 24 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
an Ash 10 mi. dist. bear S 29 E 12 lks. dist. of
a do. 12 " " " N 3 E 39 " "
Land level & soil 3rd rate, Ash, Poplar, Swamp
Ash &c. undr. Spruce & Blk. haw

East On Rand^m. between Sec. 17 & 20

40.00 Set temporary of Sec. post

79.17 Intersected the N. of S. line 11 lks. N. of post
Land timber &c. same as on the last mile

West Corrected between Sec. 17 & 20

39.58 Set of Sec. post at average dist. from which
a Beech 10 mi. dist. bear S 33 W 17 lks. dist. of
a do. 6 " " " North 31 " "

79.17 to Sec. Corner

West Between Sec. 18 & 19

34.28 a Beech 15 mi. dist.

40.00 Set of Sec. post, from which
a Beech 10 mi. dist. bear S 79 W 26 lks. dist. of
a Hickory 10 " " " N 74 E 23 " "

43.16 a Sugar 12 " "

73.45 Intersected W. boundary 325 lks. N. of post
Set post Cor. to Sec. 18 & 19, from which
a Beech 24 mi. dist. bear N 13 E 37 lks. dist. of
a do. 12 " " " S 13 W 11 " "
Land level & soil, Beech, Ash, Poplar, Sugar
&c. undr. Spruce &c.

221

T.D.N. C.W.E. 2nd Mer. Indiana

Ch. 1st lth

North Between Sec. 17 & 18

8.13 an Ash 8 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 20 in. dia. bray N 13 E 38 lth. dist. of
an Ash 10 " " " N 16 E 30 " "

63.48 a stream 10 lth. wide Course N.W.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 10 in. dia. bray N 86 E 5 lth. dist. of
a do. 15 " " " N 46 W 27 " "

First 1/2 mile inclining to wet 2nd rate, last 1/2
mile level 1st rate, Beech, Ash, Poplar, &c.
underg^g. Spruce &c.

East On Road^g. between Sec. 8 & 17

40.00 Set turnp^g. q^r. Sec. post

78.97 Intersected the N of S. line 36 lth. S. of post
Sand timber &c. Same as on last mile

West Corrected between Sec. 8 & 17

39.48 Set q^r. Sec. post, at average dist. from which
a Sugar 5 in. dia. bray S 57 E 5 lth. dist. of
a Ash 11 " " " S 54 W 18 " "

78.97 to Sec. Corner. Sept. 7th 1819

West Between Sec. 7 & 18

12.25 a stream 10 lth. wide Course N.W.

19.00 an excellent Spring

19.62 a stream 16 lth. wide Course S.W.

36.90 an Ash 40 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 36 in. dia. bray N 87 E 34 lth. dist. of
a Buckeye 24 " " " N 76 W 10 " "

73.00 Intersected the N. boundary 545 lth. North of
post, Set post Cor. to Sec. 7 & 18, from which
a Beech 18 in. dia. bray N 66 E 7 lth. dist. of
a do. 5 " " " N 84 W 5 " "

T2 N. R10 E. 2. Mer. Indiana

ch. lks.

Sand level rich, Beech, Ash, Poplar &c.
underg^d. Spruce

North Between Secs. 7 & 8

18.00 a Stream 17 lks. wide Course N.

28.75 a Beech 17 in. dia.

40.00 1st gr. Sec. post, from which
a Beech 16 in. dia. bray N 74 W 28 lks. dist. of
an Elm 15 " " " N 74 E 14 " "

42.50 a Beech 15 " "

80.00 1st post Cor. to Secs. 5, 6, 7 & 8, from which
a Beech 5 in. dia. bray N 79 E 9 lks. dist. of
an Elm 24 " " " N 79 W 3 " "
Sand level 1st rate Beech, Ash, Sugar, Spruce

East On Land^m. between Secs. 5 & 8

40.00 1st temp. gr. Sec. post

79.11 Intersected the N & S. line 98 lks. N. of post
Sand level inclining to wet 2nd rate, Beech, Ash
Poplar, underg^d. Spruce & Blk. haw

West Corrected between Secs. 5 & 8

39.55 1st gr. Sec. post at average dist. from which
a Sugar 6 in. dia. bray N 81 E 9 lks. dist. of
a Do. 6 " " " N 46 W 14 " "

79.11 to Sec. Corner.

West Between Secs. 6 & 7

10.25 a Creek 40 lks. wide Course S.

10.83 an Elm 20 in. dia.

40.00 1st gr. Sec. post, from which
a Beech 6 in. dia. bray West 5 lks. dist. of
a Do. 6 " " " N 76 E 29 " "

55.54 an Ash 48 " "

72.00 Intersected W. boundary 530 lks. N. of post
1st post Corner to Secs. 6 & 7, from which

T12 N. R10 E. 2^d Mer. Indiana 223
ch. lks

a Beech 14 mi. diw. bray S38W22 lks. dist. of
an Elm 14 " " " N46E18 " "
Land level & rich 1st rate, part creek bottom, Beech
Ash, Poplar, Sugar, undergth, Spruce & Spruce

North Between Sect. 5 & 6

20.73 a creek 35 lks. wide Course S.W.

29.16 a stream 7 " " " S.E.

40.00 at q^r. Sec. post, from which
a Beech 17 mi. diw. bray N18E25 lks. dist. of
a do. 24 " " " S38W7 " "

42.00 a Beech 36 " "

66.00 intersected N. boundary 60 lks. E. of post
at post cor. to Sect. 5 & 6, from which
a Beech 24 mi. diw. bray N78W18 lks. dist. of
a Sugar 12 " " " N49E28 " "
Land rolling & 1st rate, timber Beech, Ash, Poplar,
Sugar &c. undergth. Spruce

September 8th 1819

John Hendricks,
Deputy Surveyor

Comp^d.

I certify that the foregoing transcript of field notes of
Township N^o. 12 North, Range 10 East 2^d Mer. Indiana
has been compared with the original notes in this office,
and found to be correct.

Surveyor General's Office
Cincinnati, Nov. 2^d 1842

William Johnston
Sur. Genl.